



**PRODUCT NAME: WHEEL BEARING GREASE - HEAVY DUTY**  
**PRODUCT CODE: 50425, 50426, 50427**

**SECTION V- REACTIVITY DATA (continued)**

HAZARDOUS POLYMERIZATION: Will not occur.

**SECTION VI- HEALTH HAZARD DATA**

CHRONIC EFFECTS OF OVEREXPOSURE: None when used with good personal hygiene practices. May otherwise cause skin and eye irritation upon prlonged or repeated contact.

ACUTE TOXICOLOGICAL PROPERTIES: No data available.

CARCINOGENICITY:           NTP?                                   IARC?                                   OSHA REGULATED?  
Presently not on any list

**EMERGENCY AND FIRST AID PROCEDURES:**

DIGESTION:    If swallowed, seek medical attention immediately.

ADVICE TO THE PHYSICIAN: High velocity infection under the skin may result in serious injury. If left untreated the affected area is subject to infection, disfigurement, lack of blood circulation and may require amputation. when dispensed by high pressure equipment this material can easily penetrate the skin and leave a bloodless puncture wound. Material injected into a finger can be deposited into the palm of the hand. Within 24-48 hours the patient may experience swelling, discoloration, and throbbing pain in the affected area. Immediate treatment by a surgical specialist is recommended.

**SKIN AND EYE CONTACT:**

EYES: Immediately flush eyes with large amounts of water for at least 15 minutes. Hold eyelids apart to ensure complete flushing. Do not attempt to neutralize with chemical agents. Get medical help immediately.

SKIN: Remove excess with cloth or paper and wash area thoroughly with soap and water. For high pressure injection under the skin see a physician immediately.

INHALATION: Remove exposed person to fresh air if discomfort is experienced while handling hot product.

**SECTION VII- PRECAUTIONS FOR SAFE HANDLING AND USE**

STEPS TO BE TAKEN IN CASE LARGE AMOUNT OF MATERIAL IS RELEASED OR SPILLED: Use absorbent sweeping compound to soak up material. Put into container. Dispose as hazardous waste.

WASTE DISPOSAL METHOD: Dispose as hazardous waste in accordance with EPA, RCRA..

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Keep container closed until ready for use.

**SECTION VIII- CONTROL MEASURES**

RESPIRATORY PROTECTION: NA.

VENTILATION: NA.

PROTECTIVE GLOVES: NA

EYE PROTECTION: Chemical safety goggles and, if handled hot, full face shield.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None

**SECTION IX- REGULATORY INFORMATION**

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA) TITLE III:

**PRODUCT NAME: WHEEL BEARING GREASE - HEAVY DUTY**  
**PRODUCT CODE: 50425, 50426, 50427**

**SECTION IX- REGULATORY INFORMATION (continued)**

CHEMICAL	CAS NUMBER	CONCENTRATION %
Keep away from children		

FEDERAL EPA: Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA) requires the notification of the National Response Center of release of quantities of hazardous substances equal to or greater than the reportable quantities (rqs) in 40 CFR 302.4.

CHEMICAL	CAS NUMBER	CONCENTRATION %	RQS IN #'s
None listed			

CALIFORNIA PROPOSITION 65: No

MASSACHUSETTS RIGHT TO KNOW: Unknown

PENNSYLVANIA RIGHT TO KNOW: Yes

Formula trade secret

NEW JERSEY RIGHT TO KNOW: Yes

Petroleum oil (grease)

TOXIC SUBSTANCES CONTROL ACT (TSCA) STATUS: Listed

CALIFORNIA VOCs: NA

NFPA RATING AS AN AEROSOL: NA

**SECTION X- DISCLAIMER**

**NOTE:** THE INFORMATION IN THIS DOCUMENT IS BELIEVED TO BE CORRECT AS OF THE DATE ISSUED. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. THIS INFORMATION AND PRODUCT ARE FURNISHED "AS IS" AND ON THE CONDITION THAT THE PERSON RECEIVING THEM SHALL MAKE THEIR OWN DETERMINATION AS TO THE SUITABILITY OF THE PRODUCT FOR THEIR PARTICULAR PURPOSE AND ON THE CONDITION THEY ASSUME THE RISK OF THEIR USE THEREOF.