

PRODUCT NAME: MECHANICS BRAND BELT GRIP
PRODUCT CODE: 50603MB

SECTION V- REACTIVITY DATA

STABILITY: Stable. Avoid open flames, welding arcs or other high temperature sources, which induce thermal decomposition. Avoid direct sunlight.

INCOMPATIBILITY: Strong acids, alkalies, and oxidizers such as liquid chlorine, other halogens, hydrogen peroxide, and oxygen, permanganates, and dichromates.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Carbon monoxide, carbon dioxide.

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION VI- HEALTH HAZARD DATA

EFFECTS OF OVEREXPOSURE:

EYES: Considered irritating to the eye. Symptoms include stinging, watering, redness, and swelling.

SKIN CONTACT: Prolonged exposure may cause defatting of the skin which could lead to dryness and cracking. People prone to skin sensitiveness may be more sensitive to this product.

SKIN ABSORPTION: Unlikely that this product would absorb into skin and cause damage.

INGESTION ASPIRATION HAZARD. Slightly toxic by ingestion. There is a danger of this product being aspirated into the lungs during vomiting. Aspiration can result in severe lung damage or death. May cause weakness and gastrointestinal tract irritation. If swallowed, may be aspirated resulting in inflammation and possible fluid accumulation in the lungs. Can cause central nervous system depression. May be fatal if swallowed.

INHALATION: This product may irritate the mucous membranes of the mouth, throat, and esophagus, nausea, loss of appetite, lassitude, light-headedness, giddiness, dizziness, and incoordination. Respiratory arrest convulsions, semi-consciousness or unconsciousness may result for extreme exposure. Can cause central nervous system depression.

SYSTEMIC AND OTHER EFFECTS: None known.

EMERGENCY AND FIRST AID PROCEDURES:

EYES: In case of contact, immediately flush eyes with large amounts of water for 15 minutes. Make sure to remove contact lenses and lift eyelids to ensure complete flushing. If irritation occurs, contact physician immediately.

SKIN: Immediately wash contaminated area thoroughly with soap and water. Remove and launder contaminated clothing before use. Destroy or properly dispose of contaminated shoes. If irritation is severe, contact physician immediately.

INHALATION: Move person to area with fresh air. If breathing has stopped, give CPR. If breathing is difficult, give oxygen. Contact physician immediately.

INGESTION: Unlikely as an aerosol but, if ingested, DO NOT INDUCE VOMITING. If spontaneous vomiting is about to occur, place the victim's head below their knees to prevent aspiration. Never give anything by mouth to an unconscious person. Call physician immediately.

SECTION VII- PRECAUTIONS FOR SAFE HANDLING AND USE

ENVIRONMENTAL AND DISPOSAL INFORMATION

STEPS TO BE TAKEN IN CASE LARGE AMOUNT OF MATERIAL IS RELEASED OR SPILLED: Ventilate area, especially low places where heavy vapors might collect. Extinguish all ignition sources. Contain spill. Cover with inorganic absorbent material. Collect spilled material. Clean up residue. Place in approved DOT container for disposal. Refer to other sections of this MSDS for information regarding physical and health hazards, respiratory protection, ventilation and personnel protective equipment.

WASTE DISPOSAL METHOD: Reclaim by distillation if possible or remove to permitted waste disposal facility in accordance with federal, state, and local regulations.

PRODUCT NAME: MECHANICS BRAND BELT GRIP
PRODUCT CODE: 50603MB

SECTION VII- PRECAUTIONS FOR SAFE HANDLING AND USE (continued)

REGULATORY INFORMATION: Since regulations vary, consult applicable regulations or authorities before disposal. In the event of uncontrolled release of this material from the container, the user should determine if release is reportable.

ENVIRONMENTAL DATA: No data available.

SECTION VIII- HANDLING AND STORAGE PRECAUTIONS

HANDLING AND STORAGE PRECAUTIONS: Store in tightly sealed containers. Keep away from heat, sparks and open flame. Do not get in eyes, on skin or clothing. Do not breathe vapor or mist. Do not store or transfer to unmarked container. Do not store in direct sunlight. Store containers below 120° F. Read label before using. Do not smoke when handling or using this product. Do not cut on empty containers as they may contain vapors that are flammable.

SECTION IX - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (SPECIFY TYPE): Select one of the following NIOSH approved respirators based on airborne concentration of contaminants and in accordance with OSHA regulations: full face organic vapor and acid gas respirator. Full face supplied air respirator, full face pressure demand self-contained breathing apparatus.

PROTECTIVE GLOVES: Any lined non-permeable rubber gloves like buna or nitrile.

EYE PROTECTION: Wear unvented goggles during operations in which exposure is likely. Wear full-face shield.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Non-permeable clothing to protect all skin from liquid contact.

RECOMMENDED VENTILATION: Use with appropriate local exhaust ventilation. Provide appropriate local exhaust at transfer points. Provide appropriate local exhaust ventilation on open containers. If exhaust ventilation is not adequate, use appropriate respiratory protection.

PREVENTION OF ACCIDENTAL INGESTION: Do not eat or drink or wear facial cream when using this product. Do not swallow. Wash exposed areas thoroughly with soap and water.

SECTION X – REGULATORY INFORMATION

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III:

Chemical	CAS Number	Concentration %
----------	------------	-----------------

None listed.

Federal EPA: Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA) requires notification of the National Response Center of release of quantities of hazardous substances equal to or greater than the reportable quantities (Rqs) in 40 CFR 302.4.

Chemical	CAS Number	Concentration % Upper Bound	RQ #'s
----------	------------	-----------------------------	--------

None listed.

CALIFORNIA PROPOSITION 65: None Listed

MASSACHUSETTS RIGHT TO KNOW: Yes

Heptane	142-82-5	45-50
Pentane	106-66-0	25-30
Propane	74-98-6	20-25
Butane	106-97-8	5-10

PRODUCT NAME: MECHANICS BRAND BELT GRIP
PRODUCT CODE: 50603MB

SECTION X – REGULATORY INFORMATION (continued)

Chemical	CAS Number	Concentration %
PENNSYLVANIA RIGHT TO KNOW: Yes		
Heptane	142-82-5	45-50
Pentane	106-66-0	25-30
Propane	74-98-6	20-25
Butane	106-97-8	5-10
NEW JERSEY RIGHT TO KNOW: Yes		
Heptane	142-82-5	45-50
Pentane	106-66-0	25-30
Propane	74-98-6	20-25
Butane	106-97-8	5-10

TOXIC SUBSTANCES CONTROL ACT (TSCA) STATUS: Listed

CALIFORNIA VOCs: N/A

NFPA RATING AS AN AEROSOL: Level 3

HMIS: HEALTH 1 REACTIVITY 0 FLAMMABILITY 4

CARCINOGENICITY	CHEMICAL	IARC	NTP	OSHA
None Listed				

NOTE: THE INFORMATION IN THIS DOCUMENT IS BELIEVED TO BE CORRECT AS OF THE DATE ISSUED. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. THIS INFORMATION AND PRODUCT ARE FURNISHED "AS IS" AND ON THE CONDITION THAT THE PERSON RECEIVING THEM SHALL MAKE THEIR OWN DETERMINATION AS TO THE SUITABILITY OF THE PRODUCT FOR THEIR PARTICULAR PURPOSE AND ON THE CONDITION THEY ASSUME THE RISK OF THEIR USE THEREOF.